

LITERATURE CITED

- Anonymous. 1993. Industrial Statistics of Sugarcane and Sugar Industry No. 3. Office of the Cane and Sugar Board. Ministry of Industry, Bangkok, Thailand. 94 p.
- Birchfield, W. 1984. Nematode parasite of sugarcane, pp. 571-588. In W.K. Nickle (ed.). Plant and Insect Nematodes. Marcel Dekker Inc., New York.
- Cantelo, W.W. and P. Pholboon. 1965. A Host List of the Insect of Thailand. Dep. Agr. Roy. Thai Government US operative Miss. Thailand. 149 p.
- Chareoansom, K. 1982. Insect Pest of Sugarcane. Funny Publising, Bangkok. 108 p.
- Chieng, T.Y. 1982. Study of Dorysthenes (Baladeva) walkeri Waterhouse. Acta Entomological Sinica 25(1) : 31-34.
- F.E. Zuellig (Bangkok) Ltd., no date. Counter soil insecticide. (Leaflet).
- _____. 1985. Pyrinex. (Leaflet).

Hoechst Thai Ltd., no date. Thiocarb 4.5. (Leaflet).

ICI Asiatic (Agriculture Company Limited. 1986. Pyrethroid Soil insecticide (PP993). (Leaflet).

Downs, P. 1982. Plough out-replant is it worth while at Maryborough. Cane Grower's Quarterly Bulletin 45(4) : 108-109.

Fisher, P. 1941. Negative Binomial distribution. Ann. Eugenics 11 : 182-187.

Gomez, K.A. and A.A. Gomez. 1984. Regression and correlation analysis. Statistical Procedures for Agriculture Research. 2d ed, Wiley-interscience, Publication, Singapore. 680 p.

Gonzalez, D. 1970. Sampling as a basis of pest management strategies. Tall Timbers Conf. on Ecological Animal Control by Habitat Management 2 : 83-101.

Gressitt, J.T., J.A. Raondon and S. Von. 1970. Cerambycid beetles of Laos. Breeding Entomology Dep., Honolulu, Hawaii, USA. 651 p.

Ives, P.M. and R.D. Moon. 1987. Sampling theory and protocol for insects, p. 270. In P.S. Teng (ed). Crop Loss Assessment and Pest Management. America Phytopathological Soc., St. Paul.

- Iwao, S. 1975. A new method of sequential sampling to classify populations relative to critical density. Res. Population Eco. 16 : 281-288.
- Jenkyn, J.F. 1980. Crop Losses : Their importance and Estimation. Workshop on the Assessment of crop pests and Diseases and the Losses They Cause, Economic Threshold and Forecasting. UNDP/THA/74/019 phase II. 97 p.
- Leclercg, E.L. 1971. Field Experiments for Assessment of Crop Losses. Crop Loss Assessment Methods FAO Manual on the evaluation and Prevention of Losses by Pests : Disease and Weeds. Alden & Mowbray Ltd., Great Britain. 50 p.
- Legg, D.E., M.E. Kraening and F.B. Peairs. 1992. A new procedure for developing binomial sequential sampling models for the russian wheat aphis. Proceeding of the fifth Russian wheat aphid conference Great plains Agricultural-council Publication. No.142.
- Legg, D.E. and R.J. Berney. 1988. Use of portable computers to assess insect population in advanced integrated pest management programs Alfalfa weevil as an example. J. Eco. Entomol. 81(4) : 995-999.

Morisita, M. 1959. Measuring dispersion of individuals and analysis of distribution pattern. Mem. Fac. Sci. Kyushu Univ., Ser. E (Biol.). 2 : 215-235.

_____. 1962. Ig index, a measure of dispersion of individuals. Res., Popul. Eco. 417 p.

Nachapong, M., D.E. Legg, S. Kittiboonma and S. Wangboonkong. 1989. Validation of computer simulated presence-absence sequential sampling plans for the cotton bollworm (Heliothis armigera Hubner) in cotton. Thai J. Agr. Sci. 22 : 293-302.

Nyrop, J.P. and G.A. Simmons. 1984. Errors incurred when using Iwao's sequential decision rule in insect sampling. Environment Entomol. 13 : 1459-1465.

Oakland, G.B. 1950. An application of sequential analysis to white fish sampling. Biometrics 6 : 59-67.

Patel, R.M., G.G. Patel and M.N. Vyas. 1967. Further observation on the biology and control of white grubs (Holotrichis sp. near consanguinea Blanch) in soil affecting groundnut in Gujarat. Indian J. Entomol. 29(2) : 170-176.

Petcharaboranin, C. and K. Janboonmee. 1993. Field Crops Variety. Funny Publishing, Bangkok. 147 p.

Pieters, E.P. and W.L. Sterling. 1974. A sequential sampling plan the cotton fleahopper, Pseudotomus cellisseriatus. Environment Entomol. 3 : 102-106.

Pitaksa, C., O. Prachuabmoh and D.E. Legg. 1989. Presence-absence sequential sampling plans for the sugarcane shoot borers. Thai J. Agr. Sci. 22 : 69-76.

Pools, R.W. 1974. An Introduction to Quantitative Ecology. McGraw hill/Inc., Tokyo. 532 p.

Prachuabmoh, O. and C. Pitaksa. 1987. Major Insect Pest of Sugarcane in Thailand. International Workshop on Plant Protection, 1987. Thailand. 31 p.

. 1988. Major Insect Pest of Sugarcane in Thailand. International Workshop on Plant Protection, 1988. Thailand. 31 p.

Prachuabmoh, O., J. Attajarusit, C. Pitaksa and T. Weeravut. 1984. Manual of Sugarcane Insect Pests and Their Control. Entomology and Zoology Division, Dep. of Agr., Ministry of Agr. & Cooperatives, Bangkok. 50 p.

- Rai, B.K., M.C. Joshi, Y.K. Rathore, S.M. Dutta and U.K.R. Shinde.
1969. Studies on the bionomic and control of white grub,
Holotrichia consanguinea Blanch in Lalset, district Jaipur,
Rajasthan. Indian J. Entomol. 31(2) : 132-142.
- Ruinard, J. 1971. Nature and assessment of losses caused by sugar-
cane borers. Entomophaga 16(2) : 178-183.
- Sharma, S.K. and V.K.R. Shinde. 1970. Toxicity of some pesticides
to grubs of Lachnosterna conanguinea. J. Eco. Entomol. 63(5)
: 1662-1663.
- Sooksathan, K., U. Phoolkets and B. Komolvas. 1977. Commercial Sugar-
cane Variety Grown in Thailand. Funny Publishing, Bangkok. 61 p.
- Southwood, T.R.E. 1978. Ecological Method with Particular Reference
to the Study of Insect Population. 2d ed., Chapman & Mall,
London.
- Steel, R.G.D. and J.N. Torrie. 1960. Principle and Procedures in
Statistics etc. McGraw Hill Book Company, Inc. New York. 481 p.
- Stern, V.M. 1973. Economic threshold. Ann. Rev. Entomol. 18 :
259-280.

Student. 1919. An explanation of deviations from Poisson's Law
inpractice. Biometrika 12 : 212-215.

Taylor, C.T. 1953. Nature of Variability in Trawl Catches.
Fishery. Bull. 83 US Fish and Wild Life, Ser. 54.

Theunissen, J. 1982. IPO, Wageningen. Interview, 4 October, 1992.

Wald, A. 1954. Sequential tests of statistical hypothesis. Ann.
Math Statist. 16 : 186.

Walker, P.T. 1980. The Assessment of Pest. Workshop on the
Assessment of Crop Pests and Diseases and the Losses They Cause
Economic Threshold and Forcasting. UNDP/FAO/THA/74/019. II. 97 p.

_____. 1987. Method of Studying the Relation between
Different Insect Population Levels Damage and Yiled in
Experiment. Amer. Phytopathological Soc., St. Paul. 270 p.

Water, W.E. 1955. Sequential sampling in forest insect surveys.
Forest. Sci. 1 : 68-79.

Wilson, G. 1969. Insecticide for the Control of Soil-in Habit Pests
of Sugarcane. Pest of Sugarcane 259-82. Elservier, Amsterdam
568 p.