

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	(i)
LIST OF TABLES	(ii)
LIST OF FIGURES	(ix)
INTRODUCTION	1
REVIEW OF LITERATURE	5
MATERIALS AND METHODS	13
RESULTS	24
DISCUSSION	98
CONCLUSION	103
LITERATURE CITED	107
APPENDICES	114

LIST OF TABLES

Table		Page
1	Development of each stage of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin under laboratory conditions ($29.95 \pm 0.99^{\circ}\text{C}$, $78.58 \pm 5.05\%$ RH), one year life cycle	29
2	Development of each stage of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin under laboratory condition ($29.95 \pm 0.99^{\circ}\text{C}$, $78.58 \pm 5.05\%$ RH), two years life cycle	30
3	Body measurement of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin at various stages of development	33
4	Width of head capsule of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin in successive larval instars ; one year life cycle	35
5	Width of the head capsule of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin in successive larval instars, two year life cycle	70

LIST OF TABLES (Cont.)

Table		Page
6	Distribution pattern of sugarcane stem boring grubs, <u>Dorythenes buqueti</u> Guerin on sugarcane at Chonburi, Febuary-March 1989	43
7	Distribution pattern of sugarcane stem boring grubs, <u>Dorythenes buqueti</u> Guerin on sugarcane at Chonburi, Febuary-March 1990	47
8	Comparative yields from treated and untreated plots of F156 variety plant cane at Chonburi province, November-April, 1989-1990	64
9	The number of nematode genera found in plant cane F156 variety and their percentage at Chonburi province, during the month of February-April, 1989-1990	66
10	Comparative yield loss of sugarcane by nematode in plant cane (U-Thong 1) and ratoon cane (F156), at Chonburi province, April 1991	70

LIST OF TABLES (Cont.)

Table		Page
11	Comparative yields from treated and untreated plots U-Thong 1 variety plant cane at Chonburi province, March-April, 1989-1991	72
12	Comparative yields from treated and untreated plots of F156 variety ratoon cane at Chonburi province, March-April, 1990-1991	73
13	The number of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin on average yield/stalks (kg) and yield reduction of plant cane due to sugarcane stem boring grubs at Chonburi province, February-April, 1989-1990	75
14	The percentage of injury of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin and damage yield/ plant (kg) on plant cane variety F156 at Chonburi province, during the month of February-April, 1989-1990	76

LIST OF TABLES (Cont.)

Table		Page
15	The percentage of injury of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin and damage yield/plant (kg) on ratoon cane variety F156 at Chonburi province, during the month of April-March, 1990-1991	77
16	The number of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin and damage yield/plant (kg) ratoon cane variety F156 at Chonburi province, during the month of April-March, 1990-1991	78
17	Correlation coefficient (r) of simple correlation analysis among yield (X_1), number of stalks (X_2), the number of stalk injured (X_3), the number of sugarcane stem boring grub (X_4) and the percentage of infested stalks (X_5) in plant cane at Chonburi province, April-March, 1990-1991	85
18	Correlation coefficient (r) of simple correlation analysis among yield (X_1), number of stalks (X_2), the number of stalk injured (X_3), the number of sugarcane stem boring grub (X_4) and the percentage of infested stalks (X_5) in ratoon cane at Chonburi province, April-March, 1990-1991	86

LIST OF TABLES (Cont.)

Table		Page
19	Yield, number of stalks, percentage infested stalks and percentage of infested stools in trial 1, plant cane F156 at Chonburi province, November-February, 1989-1990	87
20	Yield, number of stalks, percentage infested stalks and percentage of infested stools in trial 2, plant cane F140 at Chonburi province, April-March, 1990-1991	93
21	Yield, number of stalks, percentage infested stalks and percentage of infested stools in trial 3, ratoon cane F156 at Chonburi province, April-March, 1990-1991	95
Appendix Table		Page
1	Lower and upper stop values for economic threshold at 0.0723 error A and B = 0.1, sequential interval procedure of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin	115

LIST OF TABLES (Cont.)

Appendix Table		Page
2	Analysis of variance on number stalk of sugarcane with various insecticides on plant cane F156 variety at Chonburi province, February-April, 1989-1990	117
3	Analysis of variance on yield of sugarcane with various insecticides on plant cane F156 variety at Chonburi province, February-April, 1989-1990	118
4	Analysis of variance on per cent infested stalk of sugarcane with various insecticides on plant cane F156 variety at Chonburi province, February-April, 1989-1990	119
5	Analysis of variance on per cent infested stool of sugarcane with various insecticides on plant cane F156 variety at Chonburi province, February-April, 1989-1990	120
6	Analysis of variance on CCS of sugarcane with various insecticides on plant cane F156 variety at Chonburi province, February-April, 1989-1990	121

LIST OF TABLES (Cont.)

Appendix Table		Page
7	Analysis of variance the number of stalk on sugarcane with various insecticides on ratoon cane F156 variety at Chonburi province, April-March, 1990-1991	122
8	Analysis of variance on yield of sugarcane with various insecticides on ratoon cane F156 variety at Chonburi province, April-March, 1990-1991	123
9	Analysis of variance on per cent infested stalk of sugarcane with various insecticides on ratoon cane F156 variety at Chonburi province, April-March, 1990-1991	124
10	Analysis of variance on per cent infested stool of sugarcane with various insecticides on ratoon cane F156 variety at Chonburi province, April-March, 1990-1991	125
11	Analysis of variance on CCS of sugarcane with various insecticides on ratoon cane F156 variety at Chonburi province, April-March, 1990-1991	126

LIST OF FIGURES

Figure		Page
1	The life stages of sugarcane stem boring grub, <u>Dorysthenes buqueti</u> Guerin	25
2	The number eggs hatched of sugarcane stem boring grub, <u>Dorysthenes buqueti</u> Guerin and length of incubation period under laboratory condition (temperature $29.95 \pm 0.99^{\circ}\text{C}$, $78.58 \pm 5.05\%$ RH)	27
3	Relationship between the width of the head capsule and the larval instar of sugarcane stem boring grub, <u>Dorysthenes buqueti</u> Guerin one year life cycle	38
4	Relationship between the width of the head capsule and the larval instar of sugarcane stem boring grub, <u>Dorysthenes buqueti</u> Guerin two year life cycle	39
5	Methods of studying the life cycle of the sugarcane stem boring grub <u>Dorysthenes buqueti</u> Guerin in field conditions, at Chonburi province, March 1991-April 1992	41

LIST OF FIGURES (Cont.)

Figure		Page
6	Area relation between variance : mean ratio which the size of sampling area sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin at Chonburi province distribution February-March, 1989	51
7	Area relation between variance : mean ratio which the size of sampling area sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin at Chonburi province distribution February-March, 1990	52
8	Correlation regression of the percentage of infested hoots and percentage of infested stools of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin at Chonburi provine, 1989-1990	54
9	Correlation regression the percentage of infested stalks and the percentage of infested stools of sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin at Chonburi province, 1989-1990	56
10	Sequential sampling plan for sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin	57

LIST OF FIGURES (Cont.)

Figure		Page
11	Sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin infected by <u>Metarrhizium</u> spp.	60
12	Sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Gurein infested by the mite, <u>Caloglyphus</u> sp.	61
13	Visual morphological differences of major nematode genera which found associated on the planting assess of sugarcane F156 variety	67
14	The infestation of nematode <u>Hoplolaimus</u> sp. in the sugarcane root	69
15	The relationship between the percentage of crop loss of sugarcane stem boring grubs <u>Dorysthenes buqueti</u> Guerin and percentage infestation in plant cane at Chonburi province, February-April, 1989-1990	79
16	The relationship between the percentage of crop loss and number of sugarcane stem boring grubs, <u>Dorysthenes</u> <u>buqueti</u> Guerin in plant cane at Chonburi province, February-April, 1989-1990	81

LIST OF FIGURES (Cont.)

Figure		Page
17	The relationship between the percentage of crop loss and percentage of infestation in ratoon cane at Chonburi province, April-March, 1990-1991	82
18	The relationship between the percentage of crop loss and number of sugarcane stem boring grubs <u>Dorysthenes buqueti</u> Guerin on ratoon cane at Chonburi province, April-March, 1990-1991	83
19	Sugarcane field conditions with some insecticides	88
20	Sugarcane field infested by sugarcane stem boring grubs, <u>Dorysthenes buqueti</u> Guerin	90
21	Pitfall trap for control of the sugarcane stem boring grub, <u>Dorysthenes buqueti</u> Guerin	97